Wall-mounted DECT Phone



SAX-8106-PND

QIG

V 1.00

1 Over view

This Phone is a full-feature telephone that provides voice communication. Read this QIG carefully to learn how to operate this product and take advantage of its features.

Package Contents

When unpacking the phone, ensure all the following items are present and undamaged. If anything appears to be missing or broken, contact your dealer for a replacement.

1. **Handset Phone**
2. **AC Adaptor (Optional)**
3. **RJ-45 Cable**
4. **Quick Installation Guide (This document)**

2 Product Description


The following contains important information to help you familiarize with the functions of the phone.

Front View



	Name	Description
1	Ring Indicator	A red light indicator means that you have incoming calls.
2	Dialing Pad	Press the buttons to dial a phone number or enter alphabetical characters.
3	LINE key	Press to make a phone call
4	End key	Press to finish the call
5	Function keys	
	HOLD	Press to put an active call on hold.
	MUTE	Press to mute a call.
	VOLUME	Press to increase or decrease the volume of the ringer tone.


Back View



NO.	Name	Description
1	LAN port	Connects to HUB, ADSL, or Switch(PSE)

3. Installation

The following illustration shows how to install the phone on the wall.



Base Unit

4 Operation

Pairing with master unit

Please follow the step below to pair the SAX phone set with the master unit.

- Please enter "* 112 *811" on master unit to standby.
- Press the star key to enter the SAX menu; close the item 2 to start the pairing.
- Press the line key to submit the pair.

Answering a Call

An incoming call is indicated by a ringing tone and a flashing indicator at the top of the handset.

To answer the call, pick up the handset.

Making a Call

Dialing with the Keypad

- Enter the telephone number using the alphanumeric keypad.
- Press the # key to dial immediately, or wait 3 seconds to dial automatically.

Call Options

Putting a Call on Hold

A call can be placed on hold temporarily while performing other tasks or handling a second call. To put a call on hold, do one of the following:

- Press the HOLD key to place the current call on hold.

Checking Voice Messages

When the message waiting indicator at the top of the handset lights up red, one or more new voice messages are waiting in the voicemail box.

- Press the **MESSAGE** key to retrieve voice messages.

(Note: The voicemail feature requires support from the ITSP or PBX. A voicemail access code must be configured before using this feature.)

5 Support

For technological support, please email to support@aeicommunication.com.